

## **SAI Global hereby grants**

# **ZERO Height Safety Ltd**

10 Holt Place, Harewood, Christchurch, New Zealand

#### StandardsMark Licence

Manufactured to:

AS/NZS 1891.1:2007 - Industrial fall-arrest systems and devices - Harnesses and ancillary equipment

& AS/NZS 1891.3:1997 - Industrial fall-arrest systems and devices - Fall-arrest devices

"the StandardsMark Licensee" the right to use the STANDARDSMARK as shown below only in respect of the goods described and detailed in the Schedule which are produced by the Licensee or on behalf of the Licensee\* and which comply with the appropriate Standard referred to above as from time to time amended. The Licence is granted subject to the rules governing the use of the STANDARDSMARK and the Terms and Conditions for certification and licence. The Licensee covenants to comply with all the Rules and Terms and Conditions.

Certificate No:SMK40940

Issued: 16 June 2022 Expires: 5 August 2024 Originally Certified: 6 August 2019 Current Certification: 6 August 2021

Calin Moldovean

President, Business Assurance

SAI Global Assurance





\* For details of manufacture, refer to the licensee



# SCHEDULE TO STANDARDSMARK LICENCE

## **SAI Global hereby grants**

## ZERO Height Safety Ltd

10 Holt Place, Harewood, Christchurch, New Zealand

### StandardsMark Licence

Manufactured to:

AS/NZS 1891.1:2007 - Industrial fall-arrest systems and devices - Harnesses and ancillary equipment

Model identification of the goods on which the STANDARDSMARK may be used:

| Brand Name | Model ID.                       | Model Name                          | <b>Product Configuration</b>   | Date Endorsed |
|------------|---------------------------------|-------------------------------------|--|---------------|
| Zero       | ABM-2RLH                        | Spark Pro double lanyard            | Double adjustable lanyard<br>made of aramide rope<br>(11.4mm) with energy<br>absorber. Model ABM-2RLH<br>has no connectors.                  | 12 Mar 2021   |
| Zero       | ABM-2RLH5                       | Spark Pro double lanyard            | Double adjustable lanyard made of aramide rope (11.4mm) with energy absorber. Model ABM-2RLH5 with connectors: 1 snaphook and 2 scaffhooks.  | 9 Mar 2021    |
| Zero       | ABM-2TE, ABM-2T3E, ABM-<br>2T5E | SacffPro                            | Double Elasticated Webbing Lanyards - 100% polyamide   | 12 Sep 2019   |
| Zero       | ABM-RL5                         | Lasso Pro                           | Single adjustable lanyard made of polyester rope 12mm diameter. Connectors, snaphooks and scaffold hook, attached to each end of the device. | 25 Jan 2021   |
| Zero       | ABM-RLH5                        | Spark Pro single lanyard            | Single adjustable lanyard made of aramide rope (11.4mm) with energy absorber. Connectors: 1 snaphook and 1 scaffhook.                        | 9 Mar 2021    |
| Zero       | ABM-TE, ABM-T3E, ABM-<br>T5E    | Stretch                             | Single Elasticated Lanyards - 100% polyamide   | 12 Sep 2019   |
| Zero       | AF-104, AF-105                  | GuardPro Work<br>Positioning Device | Work Positioning Device<br>made of Kernmantle<br>polyester rope (12mm<br>diameter)   | 19 Mar 2020   |
| Zero       | BW-260/0.9, BW-260/1.5          | ClimbS                              | Double Webbing Lanyards -  | 12 Sep 2019   |

Certificate No: SMK40940 Issued Date: 16 June 2022

This schedule supersedes all previously issued schedules

#### \* For details of manufacture, refer to the licensee



## **SCHEDULE TO**

# STANDARDSMARK LICENCE

| Brand Name | Model ID.                           | Model Name                                      | <b>Product Configuration</b>   | Date Endorsed |
|------------|-------------------------------------|---|--|---------------|
|            |                                     |   | 100% polyamide   |               |
| Zero       | LB-100/10, LB-100/15, LB-<br>100/20 | Swift Rope adjustable                           | Adjustable lanyard made of 12mm polyester rope. At 1m, 1.5m and 2m.  | 11 Dec 2020   |
| Zero       | LB-121/0.5/1/1.5/2m                 | Exact Rope Fixed                                | Fixed length lanyard is made of polyester kernmantle rope (12mm) with loops on both ends.loops.                                      | 9 Mar 2021    |
| Zero       | Z+32                                | Tradesman Multi-purpose<br>Harness              | Multi-purpose fall arrest<br>harness, Polyester Webbing<br>Steel Hardware  | 1 Oct 2019    |
| Zero       | Z+35/R                              | AllTrade Rescue Harness                         | Harness with front and rear<br>D attachment points, rescue<br>loops on the shoulders   | 20 Dec 2019   |
| Zero       | Z+52                                | Superior Multi-purpose<br>Harness               | Multi-purpose fall arrest<br>harness with positioning belt,<br>Polyester Webbing<br>Aluminimum Hardware                              | 1 Oct 2019    |
| Zero       | Z+71/R                              | Works Abseil Rescue<br>Harness                  | Abseil / Rescue harness Fall arrest + suspension harness   | 1 Oct 2019    |
| Zero       | Z+80/E                              | IsoElec Isolated Electrical<br>Linesman Harness | Harness with rear and side D attachments loops. Padded back, waist belt and leg straps with includes specially isolated metal parts. | 20 Dec 2019   |
| Zero       | Z+81                                | Elite Construction<br>Harness                   | Harness with rear and side D attachments loops. Padded shoulders, waist belt and leg straps.   | 20 Dec 2019   |
| Zero       | Z+86/RD                             | IsoTower  | Isolated Electrical Tower<br>Harness   | 2 Sep 2019    |
| Zero       | Z+87/R                              | Rigger Linesman Harness                         | Harness with rear and side D attachments loops. Padded waist belt with tower design with rescue features.                            | 20 Dec 2019   |
| Zero       | Z+90                                | Premier Abseil Harness                          | Full-arrest and abseil<br>harness, Polyester Webbing,<br>Steel Hardware  | 1 Oct 2019    |
| Zero       | Z-11, Z11/S                         | Asset/AssetS                                    | Fall Arrest Harness  | 1 Oct 2019    |
| Zero       | Z-30, Z-30/S, Z-30/N                | Utility Harness                                 | Safety Harness   | 2 Sep 2019    |
| Zero       | Z-35S                               | AllTrade Utility Harness                        | Harness with front and rear D attachment points. Chest strap, thigh strap and crossing plate on the back.                            | 25 Jan 2021   |
| Zero       | Z-40, Z-40S                         | Trademan Multi purpose<br>Safety Harness        | Harness with front and rear D-ring attachments. Leg straps with buckle connectors and chest strap.                                   | 25 Jan 2021   |
| Zero       | Z-61/R                              | Premium Construction<br>Harness                 | Harness with D attachment loops on the shoulders. Padded waist belt and leg  | 20 Dec 2019   |

Certificate No: SMK40940 Issued Date: 16 June 2022

This schedule supersedes all previously issued schedules

#### \* For details of manufacture, refer to the licensee



## **SCHEDULE TO**

# STANDARDSMARK LICENCE

| Brand Name | Model ID.            | Model Name  | Product Configuration                                  | Date Endorsed |
|------------|----------------------|-------------|--|---------------|
|            |                      |             | strap  |               |
| Zero       | ZLA-2T5              | Integra Pro | Double Webbing Lanyard with Intergrated Energy Asorber | 16 Sep 2019   |
| Zero       | ZLA-T, T3 and ZLA-T5 | Integra     | Webbing Lanyards with<br>Intergrated Energy Asorber    | 16 Sep 2019   |

# & AS/NZS 1891.3:1997 - Industrial fall-arrest systems and devices - Fall-arrest devices

Model identification of the goods on which the STANDARDSMARK may be used:

| Model ID. | Model Name                           | Description   | Attachment/Fittings | Date Endorsed |
|-----------|--------------------------------------|---|---------------------|---------------|
| LLRZ0W3   | Logix Retractable<br>Webbing Lanyard | Retractable Webbing<br>Lanyard with integrated<br>shock absorber.<br>Attachment Hardware: 2<br>snaphooks.                   |                     | 6 Aug 2021    |
| LLRZ0W5   | Logix Retractable<br>Webbing Lanyard | Retractable Webbing<br>Lanyard with integrated<br>shock absorber.<br>Attachment Hardware: 1<br>snaphook and 1<br>Scaffhook. |                     | 6 Aug 2021    |
| ZRL       | Ventura - Linostop with adjuster     | Type 1 Fall arrester with shock absorber  | 15m, 20m, 30m       | 2 Aug 2019    |

End of Record

Certificate No: SMK40940 Issued Date: 16 June 2022

This schedule supersedes all previously issued schedules

#### \* For details of manufacture, refer to the licensee

